Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)				
PCB ID: 27152		Health Care Facility / CBWTF Name : Convenient Hospitals Ltd.		
1	Year	2022		
2	Type of Health Care Facility	Bedded Hospital Private		
3	Number of Beds	200		
4	License Number and Date of Expiry of License	27152 31/05/2024		
5	Do you have Captive Treatment Facility ?	○ Yes		
Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)				
6	Yellow Category	16413		
7	Red Category	603		
8	White Category	3027		
9	Blue Category	2615		
10	General Solid Waste	10871		
Details of the Storage, Treatment, Transportation, Processing and Disposal Facility				
11	Details of the on-site storage facility	Separate Storage Facility as per norms		

12	Treatment Facility	DAC	
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment ( in kg / Year )	0	
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	0	
15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year )	0	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. Itd	
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	● Yes ○ No 4	
Details of Trainings conducted on Bio Medical Waste Management			
18	Number of Trainings conducted on BMW Management	26	
19	Number of Personnel Trained	210	
20	Number of Personnel Trained at the time of Induction		
21	Number of Personnel not undergone any Training so far	0	
22	Whether standard manual for Training is available?	● Yes ○ No	
23	Any other information	No	

Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken ( details if any )	NA
27	Any Fatality Occurred, details	No, Na
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	● Yes ○No 0
29	Details of Continuous Online Emission Monitoring systems installed	NA A
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	Yes; 0
31	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	● Yes ○ No 0
32	Any other relevant information	No